






















Deburring Tools


























Article list

| Art. No.                                     | Model        | Description  |  |  | Quant. Unit      |
|--|--------------|--|--|--|------------------|
| <b>R Deburring Tool with blades Ø 6 mm</b>   |              |  |  |  |                  |
| 25-10100                                     | MK Line      | Set Maxi MK R<br>R10S/R15S/R10S L+R                        |    |  | while stock last |
| <b>E Deburring Tool with blades Ø 3.2 mm</b> |              |  |  |  |                  |
| 24-11100                                     | Classic Line | Set Classic E with 1 blade each<br>E100/E200/E300/E600     |    |  |                  |
| 24-11200                                     | Classic Line | Set Classic 69<br>E100/E200/E300                           |    |  |                  |
| <b>24-31200</b>                              | Metal Line   | Set CCH 101, alu handle<br>E100 STAR                       |    |  |                  |
| 24-11500                                     | Classic Line | Set MB, alu handle<br>E100 interchangeable blade           |  |  |                  |
| 24-11600                                     | Classic Line | ALU-Handle<br>E100, fix                                    |   |  |                  |
| 24-11610                                     | Classic Line | ALU-Handle<br>E100 inox, fix                               |  |  |                  |
| <b>24-31400</b>                              | Metal Line   | Set CCH 201, alu handle<br>E550 STAR interchangeable blade |  |  |                  |
| 24-11700                                     | Classic Line | Micro SK E<br>E550, fix                                    |  |  |                  |
| 24-11800                                     | Classic Line | Set Midi SK E<br>E550/E560                                 |  |  |                  |
| 25-11100                                     | MK Line      | Set Maxi MK 69<br>E100/E200/E300                           |  |  |                  |
| 25-11200                                     | MK Line      | Set Midi MK E<br>E100/E550                                 |  |  |                  |
| 25-11300                                     | MK Line      | Micro MK E<br>E550 unexchangeable blade                    |  |  |                  |
| 25-11400                                     | MK Line      | Set Econo MK E<br>E100 interchangeable blade               |  |  | while stock last |
| 25-11500                                     | MK Line      | Set Maxi MK E<br>E100/E200/E300/E600                       |  |  |                  |
| <b>B Deburring Tool with blades Ø 2.6mm</b>  |              |  |  |  |                  |
| 24-10100                                     | Classic Line | Set Classic B<br>B10/B20/B30/B60                           |  |  |                  |
| 24-10300                                     | Classic Line | Set Midi SK B<br>B10                                       |  |  |                  |
| 25-12100                                     | MK Line      | Set Midi MK B<br>B10                                       |  |  |                  |
| 25-12200                                     | MK Line      | Set Econo MK B<br>B10 interchangeable blade                |  |  | while stock last |
| 25-12300                                     | MK Line      | Set Maxi MK B<br>B10/B20/B30/B60                           |  |  |                  |



Deburring Tools


























Article list

| Art. No.             | Model        | Description  |  |  | Quant. Unit      |
|----------------------|--------------|--|--|--|------------------|
| <b>C Scraper</b>     |              |  |  |  |                  |
| 24-12100             | Classic Line | Set Classic C<br>C42/C40                                       |    |  |                  |
| 24-12200             | Classic Line | Set Mini-Spokeshave<br>6-hex shank (120mm)                     |    |  |                  |
| <b>24-31600</b>      | Metal Line   | Set CCH 301, alu handle<br>with scraper, interchangeable       |    |  |                  |
| 24-12300             | Classic Line | Micro SK C fix   |    |  |                  |
| 24-12400             | Classic Line | Set Midi SK<br>C500/C510                                       |    |  |                  |
| 24-12600             | Classic Line | Set Maxi SK C Ceramic<br>2 x C720                              |    |  |                  |
| 25-16100             | MK Line      | Set Maxi MK C<br>C60, 6mm +45° resharpenable                   |    |  |                  |
| 25-16200             | MK Line      | Set Maxi MK Ceramic<br>2xC720 resharpenable                    |    |  |                  |
| 25-16300             | MK Line      | Set Midi MK C<br>C32, Ø 3,2x75mm                               |   |  |                  |
| 25-16400             | MK Line      | Micro MK C<br>blade unexchangeable                             |  |  | while stock last |
| 25-16500             | MK Line      | Micro MK Ceramic<br>blade unexchangeable                       |  |  | while stock last |
| <b>G Keyway burr</b> |              |  |  |  |                  |
| 24-13100             | Classic Line | Set Classic G<br>G70/G80, 1,2–11 mm                            |  |  |                  |
| 24-13110             | Classic Line | Set Classic H<br>with reversing plate H10HSS                   |  |  |                  |
| 24-13200             | Classic Line | Set Classic I<br>GI60/GI50                                     |  |  |                  |
| 24-13300             | Classic Line | Hand guard for Set D/L/G/I                                     |  |  |                  |
| 24-13400             | Classic Line | Set Midi SK G<br>E570 for flute 1–3 mm                         |  |  |                  |
| 24-13500             | Classic Line | Set Midi SK Crank-Threadcleaner for inside<br>thread           |  |  |                  |
| 25-18100             | MK Line      | Set Maxi MK G<br>G9, 1-9mm/G16, 1-16mm                         |  |  |                  |
| <b>F Countersink</b> |              |  |  |  |                  |
| 24-14100             | Classic Line | Set Classic F<br>F20, Ø 1–20 mm                                |  |  |                  |
| 24-14110             | Classic Line | Set Midi SK F<br>F63 countersink (6.3mm)                       |  |  |                  |
| 24-14200             | Classic Line | Set Classic FR with wrench + countersink<br>F20 HSS, Ø 1–20 mm |  |  |                  |
| 24-14300             | Classic Line | Set Classic KU<br>F30, Ø 1–30 mm                               |  |  |                  |
| 24-14400             | Classic Line | Micro SK KU<br>FKU32, Ø 0,4–3 mm                               |  |  |                  |
| 24-14410             | Classic Line | Set Midi SK KU<br>FKU32, bis 3.2 mm crank countersink          |  |  |                  |
| 24-14500             | Classic Line | Set Midi SK KU<br>F104 bis 10,4 mm                             |  |  | while stock last |



Deburring Tools































Article list

| Art. No.                            | Model        | Description   |   |   | Quant. Unit      |
|-------------------------------------|--------------|---|---|---|------------------|
| 24-14600                            | Classic Line | Set Midi SK A<br>FA305, Ø 5–18 mm                           |     |   |                  |
| 24-14700                            | Classic Line | Reversible Countersink<br>Ø 10–22 mm                        |     |   |                  |
| 24-14800                            | Classic Line | Reversible Countersink<br>5,5–10 mm                         |     | Ø |                  |
| 24-14900                            | Classic Line | Reversible Countersink<br>Ø 3–5,5 mm                        |     |   |                  |
| 25-17100                            | MK Line      | Set Maxi MK F<br>F20, Ø 1-20mm                              |     |   |                  |
| 25-17200                            | MK Line      | Set FR<br>F20, Ø 1-20mm, with wrench                        |    |   | while stock last |
| 25-17300                            | MK Line      | Set Midi MK F<br>F104, Ø 1-10mm, ¼ "                        |     |   |                  |
| 25-17400                            | MK Line      | Micro MK F<br>F32, Ø 0,4-3mm unexchangeable blade           |     |   |                  |
| 25-17500                            | MK Line      | Micro MK FKU<br>FKU 32, Ø 0,4-3mm unexchangeable blade      |     |   |                  |
| <b>D/L Sheet metal / Chamfering</b> |              |   |   |   |                  |
| 24-15100                            | Classic Line | Set Classic D80<br>D80 HM, up to 3,5 mm                     |   |   |                  |
| 24-15200                            | Classic Line | Set Classic D85 with reversing plate D85<br>HSS, up to 5 mm |   |   |                  |
| 24-15300                            | Classic Line | Set Classic D30<br>D30 HSS/D40 HSS, up to 8 mm              |   |   |                  |
| 24-15400                            | Classic Line | Set Classic L   |   |   |                  |
| 24-15600                            | Classic Line | Set D100<br>H10 HSS, up to 12 mm                            |   |   |                  |
| 25-15100                            | MK Line      | Set Maxi MK D20<br>-5mm; resharpenable                      |   |   |                  |
| 25-15200                            | MK Line      | Set Maxi MK D40<br>2x1-12/2x-4mm                            |   |   |                  |
| <b>Tool-Combinations / Blades</b>   |              |   |   |   |                  |
| <b>R Ø 6 mm</b>                     |              |   |   |   |                  |
| 25-20100                            |              | R10S  |  |   |                  |
| 25-20200                            |              | R10S L+R  |  |   |                  |
| 25-20300                            |              | R15S INOX   |  |   |                  |
| <b>E Ø 3.2 mm</b>                   |              |   |   |   |                  |
| 25-21100                            |              | E100 HSS  |   |   |                  |
| 25-21110                            |              | E100 L+R  |   |   |                  |
| 25-21120                            |              | E100 TIN Ø 3.2 mm   |   |   |                  |
| 25-21130                            |              | E160 INOX   |   |   |                  |
| 25-21140                            |              | E100 STAR   |   |   |                  |
| 25-21150                            |              | E100 L+R STAR Ø 3.2 mm                                      |   |   |                  |
| 25-21160                            |              | E200 HSS  |   |   |                  |



## Deburring Tools






























## Article list

| Art. No.          | Model | Description                                  |  |  | Quant. Unit      |
|-------------------|-------|--|--|--|------------------|
| 25-21170          |       | E200 TIN Ø 3.2 mm                            |    |  |                  |
| 25-21180          |       | E200 STAR                                    |    |  |                  |
| 25-21190          |       | E300   |    |  |                  |
| 25-21200          |       | E350   |  |  |                  |
| 25-21210          |       | E600   |    |  |                  |
| 25-21220          |       | E550   |    |  |                  |
| 25-21230          |       | E550 STAR                                    |    |  |                  |
|                   |       | Discontinued items & featured articles:      |  |  |                  |
| 24-16110          |       | E100 COBALT                                  |    |  |                  |
| 24-16620          |       | E100 MOVIC (alternative: 25-21140 E100 STAR) |    |  | while stock last |
| 24-16640          |       | E100 HM                                      |    |  |                  |
| 24-16650          |       | E100 DIAMOND                                 |    |  |                  |
| 24-16660          |       | E560   |   |  |                  |
| 24-16680          |       | E560 STAR                                    |  |  |                  |
| 24-16690          |       | E550 MOVIC (alternative: 25-21230 E550 STAR) |  |  | while stock last |
| 24-16720          |       | E200 MOVIC (alternative: 25-21180 E200 STAR) |  |  | while stock last |
| 24-16740          |       | E200 HM                                      |  |  |                  |
| 24-16760          |       | E300 R+L                                     |  |  |                  |
| 24-16790          |       | E601 HSS                                     |  |  |                  |
| 24-16800          |       | E700   |  |  |                  |
| 24-16810          |       | E700 (E770) STAR                             |  |  |                  |
| 24-16840          |       | E800   |  |  |                  |
| 24-16860          |       | E570   |  |  |                  |
| 24-16870          |       | E590   |  |  |                  |
| <b>B Ø 2.6 mm</b> |       |  |  |  |                  |
| <b>25-22100</b>   |       | B10  |  |  |                  |
| 25-22101          |       | B10 45°                                      |  |  |                  |
| 25-22120          |       | B10 STAR                                     |  |  |                  |
| 25-22130          |       | B20  |  |  |                  |
| 25-22140          |       | B20 STAR                                     |  |  |                  |
| 25-22150          |       | B30  |  |  |                  |
| 25-22160          |       | B60  |  |  |                  |
|                   |       | Discontinued items & featured articles:      |  |  |                  |
| 24-16980          |       | B10 TIN                                      |  |  |                  |
| 24-16990          |       | B10 HM                                       |  |  |                  |



## Deburring Tools

## Article list

| Art. No.             | Model | Description   |   |  | Quant. Unit      |
|----------------------|-------|---|---|--|------------------|
| 24-17000             |       | B10 MOVIC (alternative: 25-22120 B10 STAR)          |     |  | while stock last |
| 24-17010             |       | B50 DIAMOND   |     |  |                  |
| 24-17020             |       | B10 L   |     |  |                  |
| 24-17025             |       | B11 HSS   |   |  |                  |
| 24-17030             |       | B20 TIN   |     |  |                  |
| 24-17040             |       | B20 HM  |     |  |                  |
| 24-17050             |       | B20 MOVIC (alternative: 25-22140 B20 STAR)          |     |  | while stock last |
| 24-17060             |       | B30 R+L   |     |  | while stock last |
| 24-17062             |       | B70   |     |  | while stock last |
| <b>C Scraper</b>     |       |   |   |  |                  |
| 25-23110             |       | C32 Ø 3,2 x 75mm                                    |     |  |                  |
| 25-23120             |       | C60 6mm + 45°                                       |     |  |                  |
|                      |       | Discontinued items & featured articles:             |   |  |                  |
| 24-16950             |       | C510 Ø 3.2 x 73mm                                   |    |  |                  |
| 24-16958             |       | Scraper T80 double sided                            |   |  |                  |
| 24-32260             |       | Triangular Scraper Blade HSS Ø 3.2 x 50mm for CCS 3 |   |  |                  |
| 24-32270             |       | Triangular Blade 50 VHM                             |   |  |                  |
| 24-32280             |       | Triangular Blade C757 Ø 3.2 x 50mm STAR             |   |  |                  |
|                      |       |   |   |  |                  |
| <b>G Keyway burr</b> |       |   |   |  |                  |
| 25-24100             |       | G9 1-9mm  |  |  |                  |
| 25-24110             |       | G16 1-16mm  |  |  |                  |
|                      |       |   |   |  |                  |
| <b>F Countersink</b> |       |   |   |  |                  |
| 25-25100             |       | FKU32 Ø 3,2mm                                       |   |  |                  |
| 25-25110             |       | F63 Ø 6,3mm   |   |  |                  |
| 25-25115             |       | F83 Ø 8.3mm   |   |  |                  |
| 25-25120             |       | F104 Ø 10,4mm                                       |   |  |                  |
| 25-25130             |       | F165 Ø16,5mm  |   |  |                  |
| 25-25140             |       | F12 Ø12mm   |   |  |                  |
| 25-25150             |       | F20 Ø 20mm  |   |  |                  |
| 25-25160             |       | F30 Ø 30mm  |   |  |                  |
| 25-25170             |       | FA18 Ø5-18mm  |   |  |                  |
|                      |       | Discontinued items & featured articles:             |   |  |                  |
| 24-16880             |       | FKU240 Ø 6.3mm                                      |   |  |                  |
| 24-16890             |       | FKU240 Ø 8.3mm                                      |   |  |                  |
| 24-16900             |       | FKU240 Ø 10.4mm                                     |   |  |                  |



## Deburring Tools

## Article list

| Art. No.                             | Model                 | Description                                       |   |  | Quant. Unit      |
|--------------------------------------|-----------------------|---|---|--|------------------|
| 24-16910                             |                       | KU623 Ø 16.5mm                                    |           |  |                  |
| 24-16920                             |                       | KU627 Ø 16.5mm STAR                               |           |  |                  |
| 24-16942                             |                       | Reversible Countersink HSS with screw, Ø 3-5.5mm  |           |  |                  |
| 24-16943                             |                       | Reversible Countersink HSS with screw, Ø 5.5-10mm |           |  |                  |
| 24-16944                             |                       | Reversible Countersink HSS with screw Ø 10-22mm   |           |  |                  |
| <b>D Sheet metal/Chamfering</b>      |                       |   |   |  |                  |
| 25-26100                             |                       | D20 HSS -5mm                                      |           |  |                  |
| 25-26110                             |                       | D40 2x1-12/2x-4mm                                 |           |  |                  |
| 24-17070                             |                       | Deburring Tool GI50                               |           |  |                  |
| 24-17080                             |                       | Deburring Tool GI20                               |           |  |                  |
| 24-17090                             |                       | Deburring Tool GI60                               |          |  |                  |
| 24-17100                             |                       | Deburring Tool GI40                               |         |  |                  |
| 24-17110                             |                       | Deburring Tool GI30                               |        |  |                  |
| 24-17120                             |                       | Deburring Tool HM D80                             |         |  |                  |
| 24-17130                             |                       | Deburring Tool HM D82                             |        |  |                  |
| 24-17140                             |                       | Deburring Tool HSS D85                            |        |  |                  |
| 24-17150                             |                       | Deburring Tool STAR D85                           |        |  |                  |
| 24-17152                             |                       | Reversing Plate H10 HSS (1/2")                    |  |  |                  |
| 24-17160                             |                       | Deburring Tool N80 HSS for Set H                  |        |  |                  |
| 24-17170                             |                       | Deburring Tool N80 STAR for Set H                 |        |  |                  |
| 24-17180                             |                       | Reversing plate G70 HSS 1.2-8mm                   |        |  |                  |
| 24-17190                             |                       | Reversing plate G80 HSS 2.4-11mm                  |        |  |                  |
| 24-17200                             |                       | Reversing plate G90 HSS 3-15mm                    |        |  |                  |
| 24-17210                             |                       | Scraper C40 HSS 4mm                               |         |  |                  |
| 24-17220                             |                       | Scraper C42 HSS 8mm                               |         |  |                  |
| <b>25-23100</b>                      |                       | Ceramic C720                                      |         |  |                  |
| 24-17250                             |                       | Ceramic C714                                      |         |  |                  |
| 24-17260                             |                       | Ceramic C716                                      |         |  |                  |
| 24-17270                             |                       | Ceramic C718                                      |         |  |                  |
| 24-32210                             | alte Nr.:<br>24-17300 | Blade CCB 404                                     |         |  |                  |
| 24-32230                             | alte Nr.:<br>24-17290 | Blade CCB 22                                      |         |  |                  |
| 24-32240                             | alte Nr.:<br>24-17280 | Blade CCB 406                                     |         |  |                  |
| <b>Tool Handle &amp; Steelholder</b> |                       |   |   |  |                  |
| 24-17310                             | Classic Line          | Steelholder for Set Classic E                     |         |  |                  |
| 24-17330                             | Classic Line          | Griff Classic for blade Ø 3.2 mm                  |         |  |                  |
| 24-17360                             |                       | Crank with bit holder for Set KU240               |         |  | while stock last |

## Deburring Tools

## Article list

| Art. No.        | Model                | Description  |  |  | Quant. Unit      |
|-----------------|----------------------|--|--|--|------------------|
| 24-17370        | Classic Line         | Handle Classic for steelholder                                   |  |  |                  |
| 24-17400        | Classic Line         | Bit holder for Set Classic F                                     |  |  |                  |
| 24-17430        | Classic Line         | Steelholder for Set Classic B                                    |  |  | neuer Preis      |
| 24-17450        | Classic Line         | Steelholder for Set D30 + Set Classic I                          |  |  |                  |
| 24-17460        | Classic Line         | Steelholder for Set L  |  |  |                  |
| 24-17470        | Classic Line         | Steelholder for Set D80  |  |  |                  |
| 24-17480        | Classic Line         | Steelholder for Set D85  |  |  |                  |
| 24-17490        | Classic Line         | Steelholder for Set G  |  |  |                  |
| 24-17500        | Classic Line         | Steelholder for Set C  |  |  |                  |
| 24-17520        | Classic Line         | Steelholder with ratchet for Set FR                              |  |  |                  |
| 24-17530        | Classic Line         | Steelholder for Set F  |  |  |                  |
| 24-17540        | Classic Line         | Steelholder for Set KU   |  |  |                  |
|                 |                      |  |  |  |                  |
| 24-31100        | Metal Line           | Handle CCH 1 big, Alu for blade Ø 3.2 mm                         |  |  |                  |
| 24-31300        | Metal Line           | Handle CCH 2 small, Alu for blade Ø 3.2 mm                       |  |  |                  |
| 24-31500        | Metal Line           | Handle CCH 4 big for steelknife, with steelholder                |  |  |                  |
| 24-31700        | Metal Line           | Handle CCH 3 for scraper Ø 3.2 mm                                |  |  |                  |
|                 |                      | collet chucks  |  |  |                  |
| <b>27-40110</b> | for steelknife       | Handle Midi SK, with collet chuck 1.2 - 2.1 mm, blue knob        |  |  |                  |
| <b>27-40220</b> |                      | Handle Midi SK, with collet chuck 2.0 - 3.0 mm, lila knob        |  |  |                  |
| <b>27-40330</b> | for Ø 3.2 mm Scraper | Handle Midi SK with collet chuck 3.0 - 4.0 mm, turquoise knob    |  |  |                  |
| <b>27-40440</b> |                      | Handle Midi SK with tongs for blades Ø 2.6 mm, yellow knob       |  |  |                  |
| <b>27-40540</b> |                      | Handle Midi SK with tongs for blades Ø 3.2 mm, yellow knob       |  |  |                  |
| <b>27-50110</b> |                      | Handle Maxi SK, mit collet chuck 3.8 - 4.8 mm, red knob          |  |  |                  |
| <b>27-50220</b> |                      | Handle Maxi SK, with collet chuck 4.7 - 5.8 mm, grey knob        |  |  |                  |
| <b>27-50330</b> |                      | Handle Maxi SK, with collet chuck 5.7 - 6.7 mm, black knob       |  |  |                  |
| <b>27-50450</b> |                      | Handle Maxi SK, with collet chuck 6.6 - 7.4 mm, yellow knob      |  |  |                  |
| 27-50550        |                      | Handle Maxi SK with steelholder for blades Ø 3.2 mm, yellow knob |  |  | while stock last |










### Sets

|                 |              |                     |      |  |  |  |
|-----------------|--------------|---------------------|------|--|--|--|
| 24-18000        | Classic Line | Set Classic Complet | Typ: |  |  |  |
| <b>24-30000</b> | Metal Line   | Set Metal Line CCK1 | Typ: |  |  |  |



## Deburring Tools

## Article list

| Art. No. | Model        | Description  |                          |  | Quant.<br>Unit   |
|----------|--------------|--|--------------------------|--|------------------|
| 24-18020 | Classic Line | Set Classic Tri  | Typ:                     |    | while stock last |
| 24-18030 | Classic Line | Set Classic Master   | Typ:                     |    | while stock last |
| 24-18060 | Classic Line | Set Micro SK   | Typ:                     |    |                  |
| 24-18070 | Classic Line | Set Midi SK Universal  | Typ:                     |    |                  |
| 24-18080 | Classic Line | Set Maxi SK Ceramic  | Typ:                     |    |                  |
| 24-18210 |              | Multiburr Set with 4 multi-purpose blades, 1 x E100, D50, B20, FKU 240 |                          |  |                  |
| 25-19000 | MK Line      | Set Maxi MK Complet  | Typ: R,G,F,E,<br>D40,C,B |   |                  |
| 25-19020 | MK Line      | Set Midi MK  | Typ: E,B,C,F,<br>FKU,AF  |  |                  |
| 25-19040 | MK Line      | Set Maxi MK Master   | Typ: F,D40,C,<br>E       |  |                  |
| 25-19060 | MK Line      | Set Micro MK   | Typ: C,E,FKU,<br>F       |  |                  |

Firma / Maison / Company: \_\_\_\_\_

zuständig / à l'attn de / Referee: \_\_\_\_\_

Strasse / Rue / Adress: \_\_\_\_\_

PLZ+Ort / Lieu / ZIP+City: \_\_\_\_\_

Datum / Date: \_\_\_\_\_

Unterschrift / Signature: \_\_\_\_\_



Lestoprex AG  
Kronenstrasse 11  
CH-8735 St. Gallenkappel

Tel. +41 55 284 51 51  
Fax +41 55 284 51 53  
mail@lestoprex.ch  
www.lestoprex.ch