



































 FILTERMIST	MIST COLLECTOR	Article List
---	-----------------------	---------------------








Art. No.	Model	Designation	Remark
Units			
10-60020	S400	Mist Collector S 400	420m³/h
10-60021		Mist Collector S 400 Stainless Steel	(7m ³ /min)
10-60120	S800	Mist Collector S 800	800m³/h
10-60121		Mist Collector S 800 Stainless Steel	(14m ³ /min)
10-60210	FX 4000	Mist Collector FX 4002	1250m³/h
10-60211		Mist Collector FX 4002 Stainless Steel	(21m ³ /min)
10-60215		Mist Collector FX 4002 with Brake Motor	while stock
10-60310	FX 5000	Mist Collector FX 5002	1675m³/h
10-60311		Mist Collector FX 5002 Stainless Steel	(28m ³ /min)
10-60315		Mist Collector FX 5002 with Brake Motor	while stock
10-60412	FX 6000	Mist Collector FX 6002	2000m³/h
10-60413		Mist Collector FX 6002 Stainless Steel	(34m ³ /min)
10-60415		Mist Collector FX 6002 with Brake Motor	while stock
10-60450	FX 7000	Mist Collector FX 7002	2750m³/h
10-60451		Mist Collector FX 7002 Stainless Steel	(46m ³ /min)
10-60455		Mist Collector FX 7002 with Brake Motor	while stock
10-60520	S200	Mist Collector S 200	180m³/h
10-60521		Mist Collector S 200 Stainless Steel	(3m ³ /min)
Accessories			
10-60154	3000AFA	Afterfilter F8 for FX3001, FX4001, FX4002, FX5001, FX5002, FX6001	Standard Emulsion
10-60155	7000AFA	Afterfilter F8 for F13, F14-F34, FX6002, FX7001, FX7002	Standard Emulsion
10-60157		Activated carbon after filter for FX3001 – FX6001	
10-60158	2300AFA	Afterfilter F8 for F7, FX2000, FX3002, S400, S800	Standard Emulsion
10-60159	200AFAM	Afterfilter S200	Standard Emulsion
10-60161	SDA 2300	Fusion Filter for S400, S800	
10-60178		Fusion Adaptor Plate FX4002	
10-60179	3000XL	FX Fusion Filter for FX4002,FX5002	
10-60180		Fusion Adaptor Plate S200	
10-60181	7000AFB	Afterfilter H13 (Large)	
10-60182	3000AFB	Afterfilter H13 (Medium)	
10-60183	2300AFB	Afterfilter H13 (small)	
10-61301		Filtermist F Monitor Kit (Pressure Gauge)	2020 replaced
10-61302		Filtermist F Monitor 2 Kit (Time, Airflow)	
10-61303		Filtermist F Monitor 2+ with Sensor (Time, Airflow, Vibration, Temperature)	
10-61304		Filtermist Sensor for F Monitor 2	
10-61763		Swarf Cyclone for FX 5000 + FX 6001	
10-61764		Swarf Cyclone for FX 6002 + FX 7000	
10-61765		CSX Mobile pre separator RAL 7035 for FX 5002, FX 6002, FX7002	

Art. No.	Model	Designation	Remark
10-61766		VORTEX RAL 7035 for FX 5002, FX 6002, FX7002	
10-60701		Ducting Ø 200 mm für F28 + F34; FX 5000 - FX 7000	
10-60702		Ducting Ø 150 mm für F7 + F21; FX 2000 + FX 3000/2 + FX 4000	
10-60703		Ducting Ø 100 mm für F14; FX 3000/1	
10-60704		Oil return hose Ø 19 mm	
10-60705		Ducting Ø 50 mm für F2	
10-60706		Ducting Ø 75 mm für F3 + FX 1000	
10-61711		Ducting special	on request
10-61721		Ducting Ø 200 mm fire resistant Alu (1,2 - 5 meter extendable)	per meter
10-61722		Ducting Ø 150 mm fire resistant Alu (1,2 - 5 meter extendable)	per unit
10-61723		Ducting Ø 100 mm fire resistant Alu (1,2 - 5 meter extendable)	per unit
10-60711		Y-Junction Ø 200 mm on 2x150 mm for F28 + F34; FX 5000 – FX 7000	
10-60712		Y-Junction Ø 150 mm on 2 x 150 mm for F7, F21, FX 2000, FX 3002, FX 4000	
10-60713		Y-Junction Ø 150 mm on 2 x 100 mm for F7, F21, FX 2000, FX 3002, FX 4000	
10-60714		Y-Junction Ø 100 mm on 2 x 100 mm for F14, FX 3001	
10-60721		Flanged Adaptor with swarf arrester Ø 200 mm for F28 + F34; FX 5000 – FX 7000	
10-60722		Flanged Adaptor with swarf arrester Ø 150 mm for F7, F21, FX 2000, FX 3002, FX 4000, S400, S800	
10-60723		Flanged Adaptor with swarf arrester Ø 100 mm for F14; FX 3000/1	
10-60724		Flanged Adaptor with swarf arrester Ø 50 mm for F2	
10-60725		Flanged Adaptor with swarf arrester Ø 75 mm for F3; FX 1000; S200	
10-60785		Inlet for hood 10-60737 with baffle plate	
10-60786		Baffle plate ca 200 mm Ø with distancer 3-5 cm	
10-60787		Baffle plate ca 300 mm Ø with distancer 3-5 cm	
10-60788		Baffle plate ca 200 mm Ø with distancer 3-5 cm + insertion	
10-60789		Baffle plate ca 300 mm Ø with distancer 3-5 cm + insertion	
10-60731		Fishtail 200 mm Ø, open 310 x110 mm for F28 + F34; FX 5000 - FX 7000	
10-60732		Fishtail 150 mm Ø, open 250 x 80 mm for F7 + F21; FX 2000 + FX 3002 + FX 4000	
10-60733		Fishtail 100 mm Ø, open 160 x 60 mm for F14; FX 3001	
10-60737		Hood 800x600x400 mm	
10-60738		Hood RAL 7035 grey 700x700x600 mm	
10-60739		Hood RAL 7035 grey 1200x900x600 mm	
10-60740		Floor Stand for F7 + FX 2000	
10-61751		Stand (upper part) 1820 mm for FX3001 – FX6001	
10-61752		Stand (upper part) extra long 3000 mm (80x60x5 mm) for FX3001 - FX6001	
10-61753		Food for Stand F14-F34, FX3001-FX7000,Sara UC 1-3	
10-61754		Stand (upper part) 1820 mm for FX 6002 + FX 7000	
10-61755		Stand (upper part) extra long 3000 mm (80x60x5 mm) for FX 6002 + FX 7000	
10-61740		Machine Tool Stand (direct mounting) 360 mm for FX 3001 + FX 4000	
10-61741		Machine Tool Stand (direct mounting) 420 mm for FX 5000 + FX 6001	

Hight:
1830 mm
1860 - 2700 mm

Art. No.	Model	Designation		Remark
10-61742		Machine Tool Stand (direct mounting) 900 mm for FX 3001-FX 6001		
10-61743		Machine Tool Stand (direct mounting) 475 mm for FX 6002 + FX 7000		
10-61744		Machine Tool Stand (direct mounting) 900 mm für FX 6002 + FX 7000		
10-61746		Wall Bracket for FX 3001 - FX 6001		
10-61747		Wall Bracket for FX 1000 + FX 2000		
10-61749		Wall Bracket for FX 6002 + FX 7000		
10-60748		Adapter for stand F / FX		
10-61761		Direct mounting-Set (vertical) for FX 3001 - FX 7000		
10-60755		Starter with overload CH (Amp dep. of model)		
10-60761		Sleeve Ø 300 mm		
10-60762		Sleeve Ø 200 mm		
10-60763		Sleeve Ø 150 mm		
10-60770		Noise Attenuator for F14 - F 34 + FX 6002 + FX 7000		
10-61821		Noise Attenuator for FX 3001 – FX 6001		
10-60776		90° Flanged Adaptor Ø 200 mm		
10-60777		90° Flanged Adaptor Ø 150 mm		
10-60778		90° Flanged Adaptor Ø 100 mm		
10-60781		Airflow Regulator Ø 200 mm		
10-60782		Airflow Regulator Ø 150 mm		
10-60783		Airflow Regulator Ø 100 mm		
10-60791		Fire Damper Ø 200 mm		on request
10-60792		Fire Damper Ø 150 mm		on request
10-60793		Fire Damper Ø 100 mm		on request
10-60797		Fire Damper 120 min Ø 200 mm with thermal release at 70°C according to DIN EN 15650		on request
Spares				
10-60811	Polyether	Drum pads for F28+F34+FX 6002+FX7001+FX7002 (4 pieces)		per set
10-60812	Polyether	Drum pads for F14/21 (4 pieces)		per set
10-60813	Polyether	Drum pads for F7+FX2000+S400 (4 pieces)		per set
10-60814	Polyether	Drum pads for F2+F3+FX1000+S200 (4 pieces)		per set
10-61801	Polyether	Drum pads for FX 3000/1 + FX 4000 (4 pieces)		per set
10-61802	Polyether	Drum pads for FX 5001+FX5002+FX6001 (4 pieces)		per set
10-61803	Polyether	Drum pads for FX 3002+S800 (4 pieces)		per set
10-61871	Fiberglas	Drum pads for S200 (4 pieces)		per set
10-61872	Fiberglas	Drum pads for S400 (4 pieces)		per set
10-61873	Fiberglas	Drum pads for S800 (4 pieces)		per set
10-60816		Silencer pad for F7+FX2000+FX2002+FX3002		
10-60817		Silencer pad for F14 – F34+FX 6002+FX7000		

Art. No.	Model	Designation		Remark
10-60818		Silencer pad for F2+F3+FX1000		
10-61841		Silencer for FX 300-FX6001		
10-61842		Silencer for S200		
10-61843		Silencer for S400+S800		
10-60821		Hose Clips 200 mm Ø für F28 + F34; FX 5000 + FX 6000		
10-60822		Hose Clips 150 mm Ø für F7 + F21; FX 2000 + FX 4000		
10-60823		Hose Clips 100 mm Ø für F14; FX 3000		
10-60824		Hose Clips 50 mm Ø für F2		
10-60825		Hose Clips 25 mm Ø		
10-60826		Hose Clips 75 mm Ø für F3; FX 1000		
10-60831		Flanged Adaptor 90° 200 mm Ø		
10-60832		Flanged Adaptor 90° 150 mm Ø		
10-60833		Flanged Adaptor 90° 100 mm Ø		
10-60834		Flanged Adaptor 90° 50 mm Ø		
10-60835		Flanged Adaptor 90° 75 mm Ø		
10-60836		Bend 90° 200 mm Ø		
10-60837		Bend 90° 150 mm Ø		on request
10-60838		Bend 90° 100 mm Ø		on request
10-60839		Bend 90° 75 mm Ø		on request
10-61404		Arc avec écoulement 90° Ø 150 mm		
10-61405		Arc avec écoulement 90° Ø 200 mm		
10-60841		Anti Vibration Mount for F14 – F34 (4 pieces)		
10-60842		Anti Vibration Mount for F7 + FX 2000 (4 pieces)		
10-60843		Anti Vibration Mount for F2 (4 Stück) for unit		
10-60844		Anti Vibration Mount for FX 3001 – FX 7000 (4 pieces) vertical		
10-61771		Anti Vibration Mount for FX 3001 – FX 7000 (4 pieces) horizontal		
10-61772		Anti Vibration Mount for FX 3001 – FX 7000 (4 pieces) horizontal		
10-60845	DBOF2514	O Ring Seal (several models serie 6-8) F7		
10-60845	DBOF0213	O Ring Seal for F2, F3, FX1000, FX1002		
10-61831	#2009	O Ring Seal for FX1002, FX2000, FX2002, FX3002, S400, S800		
10-61832	#3009	O Ring Seal for FX3000, FX4000, FX5000, FX6000, FX4002, FX5002		
10-61833	#7009	O Ring Seal for F13, F14, F21, F28, F34, FX7000, FX 6002, FX 7002		
10-61834	S2012	O Ring Seal for S 200		
10-60846		Clips (4 pieces), Serie 6-8		per set
10-61814		Clips (3 pieces) for FX 2000		per set
10-61815		Clips (4 pieces) for FX 3000-FX 6000		per set
10-60847		Eye Bolt (4), Serie 6-8		per set
10-60848		Eye Bolt (4) with nocks for mounting, Serie 6-8		per set
10-61811		Eye Bolt (4 pieces) for FX 2000 – FX 6000		per set

Art. No.	Model	Designation	Remark
10-60850	from 2013	Motor 0.18 KW für S200	
10-60851		Motor 0.55 KW 50/60 Hz für F7, F2, F3, FX 1000, FX 2000, FX 3002, S400+S800	
10-60852		Motor 1.1 KW 50/60 Hz für F14 + F21, FX 3001 + FX 4001	
10-60854	or 10-60852	Motor 1.5 KW 50/60 Hz für F28, FX 4001 - FX 6001	on request
10-60855		Motor 2.2 KW 50/60 Hz für F34, FX 5002 - FX 7000	
10-60857		Motor 0.55 KW 50/60 Hz für FX 2000 with brake	
10-60858		Motor 1.5 KW 50/60 Hz für FX 3001 - FX 5000 with brake	
10-60859		Motor 2.2 KW 50/60 Hz für FX 6002 - FX 7000 with brake	
10-60860		Drum for F2 + F3 75 mm long; FX 1000	
10-60861		Drum for F7 100 mm long; FX 2000	
10-60862		Drum for F14 + F21 225 mm long	
10-60864		Drum for F28 300 mm long	
10-60865		Drum for F34 300 mm long + FX 6000/2	
10-61791		Drum FX3001,FX4002 (c/w pads + taper collar)	
10-61792		Drum FX 5000 (c/w pads + taper collar)	
10-61793		Drum FX 6001 (c/w pads + taper collar)	
10-61794		Drum FX 7002 (c/w pads + taper collar)	
10-61795		Drum FX 3002 (c/w pads + taper collar)	
10-61796		Drum FX 6002+F34/8 (c/w pads + taper collar)	
10-61797		Drum S200 (c/w pads + Connecting Bush)	
10-61798		Drum S400 (c/w pads + Trans Torque Bush/Connecting Bush)	
10-61799		Drum S800 (c/w pads + Connecting Bush)	
10-60871		Collar Seal 200 mm Ø	
10-60872		Collar Seal 150 mm Ø	
10-60873		Collar Seal 100 mm Ø	
10-60874		Collar Seal 150 mm Ø for F7	
10-60875		Collar Seal 75 mm Ø for F3	
10-60880		Cone Exhaust for ducting 250 mm Ø for F14 – F34	
10-60881		Cone Exhaust for ducting 200 mm Ø for F7	
10-60882		Cone Exhaust for ducting 200 mm Ø for FX 2000 + FX 3002	
10-60883		Cone Exhaust for ducting 250 mm Ø for FX 3001 - FX 6001; FX 4002 – FX 5002	
10-60891		Reducer 200 mm - 150 mm	
10-60892		Reducer 200 mm - 100 mm	
10-60893		Reducer 200 mm - mm	
10-60894		Reducer 200 mm - 50 mm	
10-60895		Reducer 150 mm - 100 mm	
10-60896		Reducer 150 mm - 50 mm	
10-60897		Reducer 150 mm - 75 mm	
10-60898		Reducer 125 mm - 100 mm	
10-60899		Reducer 100 mm - 75 mm	
10-60901		Spares Kit - Serie F	on request
10-61881	ff	Spares Kit - Serie FX + S	on request
10-60921		Taper Collar (Large) for F 14 - F 34 + FX 3000 - FX 7000	
10-60922		Taper Collar (Small) for F 7 + FX 2000 (Each)	

 FILTERMIST	MIST COLLECTOR	Article List
---	-----------------------	---------------------

Art. No.	Model	Designation	Remark	
10-60925		Trans Torque Bush for S Series (each)		
10-60926		Trans Torque Bush Stainless Steel for S Series (each)		
10-60941		Conversion (Kit) for Filtermist S200 to single phase 230V, 50/60 Hz (without motor)		
10-60942		Kit for differential pressure monitoring, partially assembled		

Company: _____

Referee: _____

Address: _____

ZIP + City: _____

Date: _____

Signature: _____



Lestoprex AG
 Kronenstrasse 11
 CH-8735 St. Gallenkappel

Tel. +41 55 284 51 51
 Fax +41 55 284 51 53
 mail@lestoprex.ch
 www.lestoprex.ch